

To: Wagner, Christine[Wagner.Christine@epa.gov]
Cc: McCauley, Joanna[McCauley.Joanna@epa.gov]; [Nonresponsive based on revised scope @erllc.com]
From: [Nonresponsive based on revised scope @erllc.com]
Sent: Mon 7/16/2018 6:34:11 PM (UTC)
Subject: RE: Shiloh Church Road Daily Work Order 7/16/18-7/20/18
[Scan180716143430.pdf](#)

I sent the analysis and asked them for a quick word back on what they suggest for media and system for treatment.

From: Wagner, Christine [mailto:Wagner.Christine@epa.gov]

Sent: Monday, July 16, 2018 1:45 PM

To: [Nonresponsive based on revised scope @erllc.com]

Cc: McCauley, Joanna <McCauley.Joanna@epa.gov>

Subject: Shiloh Church Road Daily Work Order 7/16/18-7/20/18

Mike

Attached is the DWO for this week. At the end of the week, please provide me an update on the filter installation

Thank you

Chris

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.